
LEGEND
FIBER CEMENT BOARD TO MATCH EXISTING
TYVEK BUILDING WRAP
5/8" FIRE RETARDANT PLYWOOD SHEATHING
6005250- 33 STEEL STUDS AT 16" O.C.
R- 20 CELLULOSE INSULATION
5/8" GYPSUM BOARD
5/8" GYPSUM BOARD
3625162- 33 STEEL STUDS
AT 16" O.C.
5/8" GYPSUM BOARD
EXISTING STEEL STUD WALLS
ARE TO REMAIN
EXISTING STEEL STUD WALLS
ARE TO REMAIN
REMOVE EXISTING CEMENT BOARD SIDING AND
BUILDING WRAP LEAVING THE SHEATHING EXPOSED
PROVIDE 5/8" GYPSUM BOARD OVER SHEATHING
4" STONE
1" AIR SPACE
TYVEK COMMERCIAL WRAP
5/8" FIRE RETARDANT PLYWOOD SHEATHING
6005250- 33 STEEL STUDS AT 16" O.C.
6005250- 33 STEEL STUDS AT 16" O.C.
R- 20 CELLULOSE INSULATION
5/8" FIRE RETARDANT PLYWOOD SHEATHING
1" AIR SPACE
4" STONE
GALVANIZED WALL TIES AT 24" O.C.
VERTICALLY AND 16" O.C. HORIZONTALLY
(INTERIOR AND EXTERIOR)
5/8" GYPSUM BOARD
6005250- 33 STEEL STUDS AT 16" O.C.
3/4" THICK CDX PLYWOOD SHEATHING
5/8" GYPSUM BOARD
ALIGN NEW WALL WITH THE EXIST ING WALL
5/8" GYPSUM BOARD
6005162- 33 STEEL STUDS AT 16" O.C
5/8" GYPSUM BOARD
OFFICE 4
111
OFFICE 3
110
OFFICE 2
109
OFFICE 5
112
SUPPLY ROOM 3-7
108
OFFICE 1
104
FILL IN VOID AT EXISTING WINDOW
OFFICE 6
113
OFFICE 7
114
CORRIDOR
103
COPY / SUPPLIES
107
RECEP. DESK
102
EXISTING COLUMN IS TO REMAIN
20'-0"
FILL IN VOID WHERE THE EXISTING DOOR WAS REMOVED AND PATCH EXISTING GYPSUM BOARD AS REQUIRED
EXISTING
MEN'S TOILET RM
EXISTING IS TO REMAIN
WOMEN'S TOILET RM
115
INTERPRETIVE CORRIDOR
101
CENTER DOORS IN BETWEEN THE TWO WALLS AND PATCH GYPSUM BOARD AS REQUIRED
MEETING ROOM
105
VESTIBULE
EXISTING TO REMAIN
JANITOR'S CL
EXISTING TO REMAIN
CORRIDOR
EXISTING TO REMAIN
EXISTING
FLOOR PLAN - 2,140 S.F. NEW
SCALE: 1/4" = 1'-0"
SEATING FOR 80 PEOPLE
PREFINISHED ALUMINUM BRAKE METAL PANEL TO BE THERMALLY BROKEN. COLOR IS TO MATCH THE EXISTING BRAKE METAL PANELS
BACKER ROD AND SEALANT
CELLULOSE INSULATION
PREFINISHED ALUMINUM BRAKE METAL PANEL TO BE THERMALLY BROKEN WRAP ON THREE SIDES. COLOR IS TO MATCH THE EXISTING BRAKE METAL PANELS
DETAIL 3 A3
SCALE 1 1/2" = 1'-0"
EXISTING CURTAINWALL SYSTEM IS TO REMAIN
CURTAINWALL SYSTEM IS TO CONSIST OF 1" INSULATED GLASS (TEMPERED) TINTED TO MATCH THE EXISTING GLASS IN AN ALUMINUM FRAME ANODIZED TO MATCH THE EXISTING (U FACTOR OF 0.36 OR LESS)
BACKER ROD AND SEALANT
CELLULOSE INSULATION
PREFINISHED ALUMINUM BRAKE METAL PANEL TO BE THERMALLY BROKEN WRAP ON THREE SIDES. COLOR IS TO MATCH THE EXISTING BRAKE METAL PANELS
BACKER ROD AND SEALANT
DETAIL 2 A3
SCALE 1 1/2" = 1'-0"
STONE WALL
PREFINISHED ALUMINUM BRAKE METAL PANEL TO BE THERMALLY BROKEN. COLOR IS TO MATCH THE EXISTING BRAKE METAL PANELS
BACKER ROD AND SEALANT
CURTAINWALL SYSTEM IS TO CONSIST OF 1" INSULATED GLASS (TEMPERED) TINTED TO MATCH THE EXISTING GLASS IN AN ALUMINUM FRAME ANODIZED TO MATCH THE EXISTING (U FACTOR OF 0.36 OR LESS)
BACKER ROD AND SEALANT
PREFINISHED BRAKE METAL PANEL TO BE THERMALLY BROKEN COLOR TO MATCH THE EXISTING
WOOD BLOCKING
DETAIL 1 A3
SCALE 1 1/2" = 1'-0"
n. batistich, architects
"SEASONAL SPACE FOR YEAR"
16W375 S. FRONTAGE RD. - SUITE 301
BURR RIDGE IL. 60527 (630) 986-1773
IL DESIGN FIRM LIC. NO. IBA 004483
OFFICE ADDITION:
LEMONT TOWNSHIP
16300 ALBA ST., LEMONT, IL
NO BY/DWG DATE
1 JULY 5, 2023 NOV. 17, 2019
SHEET NO. A3